

# CERTIFICATION, TROUBLESHOOTING and INSTALLATION tools

for professionals who install and maintain critical network cabling infrastructure.



## **Featured Copper Cable Test Solutions**

www.flukenetworks.com/CopperTestingTools

## CableIQ<sup>™</sup> Qualification Tester

- Works on live networks to provide Ethernet switch detection and link configuration
- Measure cabling performance (10/100/1000 Mbps)
- Diagnose opens, shorts, split pairs, insertion loss, crosstalk, noise issues
- Graphically maps wiring configuration and shows distance to faults
- Tests twisted-pair, coax, and audio
- Locate and trace cables with IntelliTone 200 Digital Probe (included with CIQ-KIT)



- Displays cable length, wiremap, cable ID, and
- distance to fault Detects the PoE class (0-8) from 802.3 at, af, and
- bt switches, and available voltage Locates virtually any cable or wire pair with IntelliTone™ digital and analog toning
- Tests RJ11, RJ45, coax, with no adapters
- "Oversized" backlit LCD
- Displays network switch speeds up to 10G, as well as POTS

## TS<sup>°</sup>100 Cable Fault Finder

- Measure cable length on spools
- Numeric distance display
- Identify pairs with SmartTone<sup>™</sup> generation technology
- Identify and locate distance to opens and shorts
- Works on any two or more conductor cable up to 3,000 feet (915 meters)

## **MicroMapper**<sup>™</sup>

 Simple verification of wiremaps and identification of faults with LEDs



- Remote identifier enables one-person testing
- Built-in tone generator for tracing installed cables hidden in walls, floors and ceilings. Works with Pro3000<sup>™</sup> Tone and Probe (sold separately)



## MultiFiber<sup>™</sup> Pro **MPO Loss Tester**

- Automatic scanning and testing of all fibers in MPO connectors
- MM and SM versions available
- No more fan-out cords when testing MPO fiber trunks
- Easily interpret test results on 8 or 12 fibers with minimal navigation
- Automatically measures and reports polarity

## SimpliFiber<sup>®</sup> Pro Power Meter / Light Source

- configurations with light sources for single mode, multimode and PON fiber optics
- Single-port, simultaneous dual-wavelength feature completes testing in half the time and saves measurements from both wavelengths into one record
- Min/Max capability automates tracking of intermittent power fluctuations

## Fiber QuickMap<sup>™</sup> / **OneShot<sup>™</sup> PRO**

- Quickly and efficiently locate connections and breaks
- QuickMap tests MM fiber to 1,500 meters (4,921 ft)
- OneShot PRO tests SM fiber to 23 km (15 mi)
- Simple set-up
- Six-second test time eliminates lengthy blind troubleshooting
- Large display shows loss in dB and distance in meters or feet

## VisiFault<sup>™</sup> **Visual Fault Locator**

- Locates tight bends, breaks and bad connectors
- Verifies polarity and identifies fibers
- Bright red visible laser light with continuous and flashing modes
- Ergonomic case survives drops, impacts and vibration











## **Copper Cable Toners and Probes**

www.flukenetworks.com/CopperTestingTools

## **Pro3000<sup>™</sup> Analog Tone and Probe Family**

• Clear: Innovative filter technology blocks interference ("buzz") that makes tracing difficult ("F" models only)



- Precise: SmartTone<sup>™</sup> technology provides five distinct tones for exact pair identification
- Sends loud tone up to 10 miles (16 kilometers) on most cables
- Loud speaker on probe makes the tone easier to hear through drywall, wood, and other enclosures
- Angled bed-of-nails clips allow easy access to individual pairs
- RJ-11 connector is ideal for use on telephone jacks

## IntelliTone<sup>™</sup> Pro 200 LAN Tone and Probe

- Digital toning eliminates noise and false signals
- SmartTone<sup>™</sup> analog toning isolates individual wire pairs
- Locates cables safely and effectively on active networks
- Visible end-to-end continuity test
- Built in wire mapper
- Works on twisted pair, audio, and video cabling

	Ret						
	Pro3000F	Intelli- tone Pro	Micro- Mapper	TS100	Micro- Scanner PoE	CIQ-100	
Port Information and Ca	ble ID						
PoE Identification					1	1	
Digital Toning		1			1	1	
PoE Power class (0-8)					1		
Analog Toning	Noise Filtering	1	1	1	1	1	
SmartTone™	<ul> <li>Image: A second s</li></ul>						
Switch Presence		1			1	1	
VDV Service Detection					1	1	
Cable Verification							
Cable Wiremap		1	1		Graphical	Graphical	
Cable Length				1	1	1	
Qualified Cabling Speed (10/100/1000/VoIP)						1	
Cable Troubleshooting							
Identify open/short	✓	1	1	1	1	1	
Distance to open/short				1	1	1	
Locate crosstalk fault						1	
Identify and locate impedance fault						1	



## Fiber Cleaning and Inspection

www.flukenetworks.com/FiberInspectionTools

## Fiber Optic Cleaning Kits

- Eliminates the #1 cause of fiber optic link failure: contamination
- Supports all fiber connector types in datacenter and campus environments
- Quick Cleaners—easily clean fiber end-faces and ports
- Solvent pen precisely dispenses specially formulated fiber optic cleaning solution
- Cards for convenient cleaning of fiber end-face

#### FI-500 FiberInspector<sup>™</sup> Micro

- PortBright<sup>™</sup> illumination to find ports in dark and dense panels
   Auto-focus for stable images in
- seconds
  Clearly displays MM and SM
- Includes 4 UPC tips (LC, SC, 1.25 mm and 2.50 mm)
- APC tips available
- \* See page 4 for our MPO Inspection Solution

#### Quick Clean<sup>™</sup> Cleaners

- Available in 1.25 mm, 2.5 mm, and MPO styles
  Just push and the "click" lets you know it's done
- Clean over 500 end-faces
   per unit
- Tip extender to 208 mm for hard to reach connectors

## Test Reference Cords (TRCs)

• Used for certifying cabling systems in accordance with standards

Reference grade connectors

### **Fiber Launch Cables**

 Used with OTDRs to characterize fiber links
 Standards



compliant reference grade connectors







## **Termination Tools**

www.flukenetworks.com/TerminationTools

## **Termination Tools** and Adapters

Ergonomic design, high-quality materials and Fluke Networks quality for separating, stripping and cutting wire. Perfect tools for your every job.









Modular Adapters

**Impact Tools** 

#### **D914<sup>™</sup> Series Impact Tools**

- Hook, spudger and blade storage tools are built into the handle
- Select low impact for 24/26 gauge wire or high impact for 22-gauge wire
- Optional Phillips-head or flat screwdriver blade
- Supports a variety of torque tool bits and sockets
- Easy blade insertion, locks in place
- D914S features soft touch rubber handle and ergonomic design



- Terminate jacks eight times faster than traditional impact tools. The patented design seats and terminates all wires simultaneously. Builtin blade cuts off the excess wire eliminating the need for a secondary trim step
- High-guality, consistent terminations
- Ergonomic design reduces hand fatigue
- Convenient, built-in stripper
- Multiple versions support several jack manufacturers

## **Pro-Tool**<sup>™</sup> Kits

- Ergonomically designed Dur-a-Grip<sup>™</sup> pouch for convenient tool storage on belt
- D914<sup>™</sup> and D814<sup>™</sup> industry standard punchdown tools make for solid terminations
- Easy to use cable stripper quickly rings and slits many types of cable
- Probe Pic checks for loose or damaged connections
- Cut and strip wire with Electricians' D-Snips<sup>™</sup>
- Three kit combinations available



## **Telephone Butt-In Test Sets**

www.flukenetworks.com/ButtInTestSets

Comparison Chart			The second secon				
	TS <sup>®</sup> 54 TDR	TS®52 PRO	TS®22A	TS®22	TS®25D	TS <sup>®</sup> 30/ TS <sup>®</sup> 120*	TS®19
TDR for distance to Open, Shorts	✓						
Built-in toner	1						
Display—backlit LCD and glow-in-the-the dark keypad	1	1			LCD only		
Extended range high-impedance DataSafe™ operation in monitor mode	1	1			1		
High-impedance DataSafe operation in monitor mode	1	1	1		1	1	<ul> <li>Image: A second s</li></ul>
Data lockout protection	1	1			1		
DSL/POTS filtering technology	1	1			1		
Low/high voltage indication	1	1			<ul> <li>✓</li> </ul>		
Low current (mA) indication	1	1			1		
Over voltage and current protection	1	1	1	1	1	1	
Waterproof—exceeds American Military Spec. MIL-STD-810E	1	1					
RainSafe™—safe in severe weather conditions	1	1	1	1		1	
DropSafe™—passes 20 foot (6 meter) drop test onto concrete	1	1	<ul> <li>Image: A start of the start of</li></ul>	1		1	
Stores nine 18-digit numbers in repertory dialer (speed dialing)	1	1	1	1	1		





## The System for Certifying, Managing and **Reporting on your Cabling Installation Projects**

www.flukenetworks.com/Versiv

CertiFiber<sup>®</sup> Pro

in six seconds

Calculator

**Optical Loss Test Set** 

Fastest time to certify—two

fibers at two wavelengths

• Single module performs both

• Built-in Visual Fault Locator

• SYSTIMAX Fiber Performance

• Encircled Flux compliant

SM and MM testing

• SM testing to 130 km



# **Certify**

## DSX CableAnalyzer<sup>™</sup> Series **Copper Certification**

- Unmatched speed for Cat 5-8
- Graphically displays the source of failures including crosstalk, return loss and shield faults
- Meets TIA 2G and IEC Level V the most stringent accuracy requirements
- Endorsed by cabling vendors worldwide

# Manage

## LinkWare<sup>™</sup> Live **Certification Management**

- Upload and consolidate test results from remote sites
- Track project status from smart devices
- Create and manage test setups and cable ID's
- Track last location used and calibration status of your entire fleet



#### LinkWare<sup>™</sup> PC **Cable Test Management Software**

- Electronically save, maintain and archive test results
- Generate professional, customizable reports
- Provides a statistical view of your entire cable plant's performance
- Compliant with TIA 606-B

# **LinkWare** Live

## **OptiFiber**<sup>®</sup> **Pro Series OTDRs**

- Supports LAN, datacenters, PON, FTTx and outside plant applications
- Automated setup of measurement parameters
- Manual Expert mode allows easy adjustments to automated settings for detailed testing
- EventMap<sup>™</sup> automatically identifies events including connectors, splices, bends, and splitters
- Gesture-based interface allows fast, in-depth trace analysis

## **FiberInspector**<sup>™</sup> **Pro** • Automated Pass/Fail

A528 🛞

FI-7000

- certification of fiber optic connector end-faces • Graphical indication of
- problem areas
- Compliant with IEC 61300-3-35
- Fully documents results using LinkWare<sup>™</sup> PC or LinkWare<sup>™</sup> Live

## FI-3000 FiberInspector<sup>™</sup> Pro MPO Inspection Camera • Total MPO endface visibility with Live View from full trunk to

- individual endface
- Integrates with Versiv\* / LinkWare for operation and documentation or with mobile phones for testing and sharing
- Automated pass/fail results
- Multiple Autofocus/Autocentering Camera design for real time imaging
- Rugged, ergonomic design with convenient holster
- Supports one or two rows of 8,12, or 16 UPC or APC connectors as well as single fibers\*

\*Versiv and single fiber support available second half 2019



Arrow Wire & Cable | arrowwire.com | 800.659.3655 Email: marketing@arrowwire.com

